2.5 lb ABC Dry Chemical Class Fire Extinguisher



ABC or Multi-Purpose extinguishers utilize a specifically fluidized and siliconized mono ammonium phosphate dry chemical. It chemically insulates Class A fires by melting at approximately 350°F and coats surface to which is applied. It smothers and breaks the chain reaction of Class B fires and will not conduct electricity back to the operator.

Brand	Product Code	Capacity	Chemical	Discharge Time	Range	UL and ULC Rating
Amerex	B417T	2.5 lbs	ABC Dry Chemical	10 seconds	9-15 ft	1A:10B:C

5 lb ABC Fire Extinguisher



ABC or Multi-Purpose extinguishers utilize a specifically fluidized and siliconized mono ammonium phosphate dry chemical. It chemically insulates Class A fires by melting at approximately 350°F and coats surface to which is applied. It smothers and breaks the chain reaction of Class B fires and will not conduct electricity back to the operator.

Brand	Product Code	Capacity	Chemical	Discharge Time	Range	UL and ULC Rating
Amerex	B500	5 lbs	ABC Dry Chemical	14 seconds	12-18 ft	2A:10B:C

FoxCanada Manufacturing & Distribution Centre
2891 Box Springs Link NW,
Medicine Hat AB, T1C-0H3
Bus: (403) 548-8147

FoxCanada Customer Support
Centre 127-6227 2ST SE, Calgary AB,
T2H 1J5 Bus: (866) 548-8147

10 lb ABC Dry Chemical Fire Extinguisher



ABC or Multi-Purpose extinguishers utilize a specifically fluidized and siliconized mono ammonium phosphate dry chemical. It chemically insulates Class A fires by melting at approximately 350°F and coats surface to which is applied. It smothers and breaks the chain reaction of Class B fires and will not conduct electricity back to the operator.

Brand	Product Code	Capacity	Chemical	Discharge Time	Range	UL and ULC Rating
Amerex	B456X	10 lbs	ABC Dry Chemical	20 seconds	15-21 ft	6A:80B:C

20 lb ABC Dry Chemical Fire Extinguisher



ABC or Multi-Purpose extinguishers utilize a specifically fluidized and siliconized mono ammonium phosphate dry chemical. It chemically insulates Class A fires by melting at approximately 350°F and coats surface to which is applied. It smothers and breaks the chain reaction of Class B fires and will not conduct electricity back to the operator.

Brand	Product Code	Capacity	Chemical	Discharge Time	Range	UL and ULC Rating
Amerex	A411X	20 lbs	ABC Dry Chemical	30 seconds	15-21 ft	10A:120B:C

FoxCanada Manufacturing & Distribution Centre
2891 Box Springs Link NW,
Medicine Hat AB, T1C-0H3
Bus: (403) 548-8147

FoxCanada Customer Support
Centre 127-6227 2ST SE, Calgary AB,
T2H 1J5 Bus: (866) 548-8147

30 lb ABC Fire Extinguisher

ABC or Multi-Purpose extinguishers utilize a specifically fluidized and siliconized mono ammonium phosphate dry chemical. It chemically insulates Class A fires by melting at approximately 350°F and coats surface to which is applied. It smothers and breaks the chain reaction of Class B fires and will not conduct electricity back to the operator.



Brand	Product Code	Capacity	Chemical	Discharge Time	Range	UL and ULC Rating
Amerex	692X	30 lbs	ABC Dry Chemical	34 seconds	15-21 ft	10A:120B: C

15 lb CO2 Fire Extinguisher

Carbon Dioxide is discharges as a white clod of "snow" which smothers a fire by eliminating oxygen. It is effective for Class B flammable liquids and is electrically non-conductive. Carbon Dioxide is a clean, non-contaminating, odorless gas.



Brand	Product Code	Capacity	Chemical	Discharge Time	Range	UL and ULC Rating
Amerex	331	15 lbs	Carbon Dioxide	12.5 secods	3-8 ft	10B:C

FoxCanada Manufacturing & Distribution Centre
2891 Box Springs Link NW,
Medicine Hat AB, T1C-0H3
Bus: (403) 548-8147

FoxCanada Customer Support
Centre 127-6227 2ST SE, Calgary AB,
T2H 1J5 Bus: (866) 548-8147